



Cyclone Quilt



This simple block is made from three fabrics with one center square and four Flying Geese Patches.

Use any method to make (48) 3" x 6" finished size Flying Geese Patches. To make your piecing easy and accurate, we recommend the Quilt in a Day method using our new Flying Geese Ruler. You can find the Flying Geese instructions in *Pioneer Sampler*, *Stars Across America*, and *Bears in the Woods* by Eleanor Burns.



Borders and Finishing

Lattice



$\frac{1}{3}$ yard

Cut (5) 2" strips into (17) 2" x size of block

Cornerstones



$\frac{1}{8}$ yard

Cut (1) 2" strip into (10) 2" squares

First Border



$\frac{1}{3}$ yard

Cut (4) 2" strips

Optional Folded Border



$\frac{1}{4}$ yard

Cut (5) 1 $\frac{1}{4}$ " strips

Second Border



$\frac{2}{3}$ yard

Cut (5) 4" strips

Binding



$\frac{1}{2}$ yard

Cut (5) 3" strips

Batting



45" x 54"

Backing



45" x 54"

Blocks - Quilt in Day's Flying Geese Method

Background



1 yard

Cut (3) 9" strips into (12) 9" squares

Geese Fabric



Planned Geese

$\frac{7}{8}$ yard

Cut (3) 7 $\frac{1}{2}$ " strips into (12) 7 $\frac{1}{2}$ " squares

Scrap Geese

Cut (12) different 7 $\frac{1}{2}$ " squares

Center Square



Planned

$\frac{1}{4}$ yard

Cut (2) 3 $\frac{1}{2}$ " strips into (12) 3 $\frac{1}{2}$ " squares

Scrap

Cut (12) different 3 $\frac{1}{2}$ " squares



*Quilts designed and made by Sue Bouchard
Finished Size 41" x 51 1/2"*


Making the Cyclone Block

Sewing the Flying Geese Patches


Refer to the instructions included with the Quilt in a Day Geese Ruler. You need to complete 12 sets of squares to yield 48 Flying Geese Patches.

Completing the Cyclone Block


1. Lay out all the patches required to complete the block. The numbers relate to the sewing order of the geese patches.




2. Place the #1 Geese Patch beside the center square so the bottom edges line up. Flip right sides together. Start at the last quarter of the Geese patch and sew towards the bottom edge. Finger press seams away from the center square.




3. Line up the #2 Geese Patch along the right edge. Flip right sides together. Assembly-line sew with right sides together. Press seam allowances away from center square.




4. Line up the #3 Geese Patch along the right edge. Flip right sides together, and assembly-line sew. Press seam allowances away from center square.



5. Line up the #4 Geese Patch along the right edge. Flip right sides together, sew and press seam allowances away from center square.




6. Finish sewing the remaining seam between the #1 Flying Geese Patch and the #4 Flying Geese Patch. Press seam allowances away from #1 Geese Patch.




Completing the Cyclone Quilt

1. Lay out the blocks, lattice and cornerstones. Sew the rows together. Press seam allowances toward the lattice.



2. Add the cornerstones and borders. Press seam allowances away from the blocks.




First & Second Border

3. Quilt and bind as desired. For more detailed information on quilting and finishing your quilt, please refer to *Quilt in a Day's Machine Quilting Primer* by Cynthia Martin.

Order your Flying Geese Ruler today!

#3054
\$6.⁹⁵



Scrap Cyclone by Sue Bouchard

Quilt in a Day®

1955 Diamond Street, San Marcos, CA 92069

www.quilt-in-a-day.com

FAX: 760 591-4424 Orders 800 777-4852

Call Monday thru Friday 9-4 Pacific Time.

Call for a free catalog.